



LED Dome Lights

Create a better ambience in any environment with V-TAC's LED Dome Lights. These compact and easy to install lights make a perfect replacement for traditional dome lights.

Product Features

- Non - flickering
- No uv radiation
- Easy installation
- Premium quality LED chip
- Premium quality power driver
- Instant start 0-100% in 0.01 seconds
- Extreme weather toleration (-20 to + 45 degrees centigrade)

Applications

Mostly used in parking lots, passage's in big areas, exterior walls of prestigious buildings for ambience, airports, ports and malls.

NEW

STARY COVER


EASY ACCESS FOR
COLOR CHANGING
WITH BUTTON

CCT Changeable

Smart Domelight-CCT Changeable by
Switch

12w VT-8412-S

SKU: 7602 - 3IN1 3800157652179




Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	720lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic
Shape:	Round
Dimension:	Ø255x55mm
Box Qty:	5 Pcs

Smart Domelight-CCT Changeable by
Switch

18w VT-8418-S

SKU: 7604 - 3IN1 3800157652193




Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	1080lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic
Shape:	Round
Dimension:	Ø310x55mm
Box Qty:	5 Pcs

Smart Domelight-CCT Changeable by
Switch

24w VT-8424-S

SKU: 7606 - 3IN1 3800157652216




Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	1440lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic
Shape:	Round
Dimension:	Ø350x55mm
Box Qty:	5 Pcs

Smart Domelight-CCT Changeable by
Switch

36w VT-8436-S

SKU: 7608 - 3IN1 3800157652230




Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	2160lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic
Shape:	Round
Dimension:	Ø480x65mm
Box Qty:	5 Pcs

NEW

MILKY COVER



**EASY ACCESS FOR
COLOR CHANGING
WITH BUTTON**




CCT Changeable

Smart Domelight-CCT Changeable by Switch

12w VT-8412-M

SKU: 7603 - 3IN1 3800157652186




Sensor Compatible: **Yes**
Voltage/Frequency: **AC:175-265V,50/60Hz**
Luminous Flux: **720lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Plastic**
Shape: **Round**
Dimension: **Ø255x55mm**
Box Qty: **5 Pcs**

Smart Domelight-CCT Changeable by Switch

18w VT-8418-M

SKU: 7605 - 3IN1 3800157652209




Sensor Compatible: **Yes**
Voltage/Frequency: **AC:175-265V,50/60Hz**
Luminous Flux: **1080lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Plastic**
Shape: **Round**
Dimension: **Ø310x55mm**
Box Qty: **5 Pcs**

Smart Domelight-CCT Changeable by Switch

24w VT-8424-M

SKU: 7607 - 3IN1 3800157652223




Sensor Compatible: **Yes**
Voltage/Frequency: **AC:175-265V,50/60Hz**
Luminous Flux: **1440lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Plastic**
Shape: **Round**
Dimension: **Ø350x55mm**
Box Qty: **5 Pcs**

Smart Domelight-CCT Changeable by Switch

36w VT-8436-M

SKU: 7609 - 3IN1 3800157652247



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:175-265V,50/60Hz**
Luminous Flux: **2160lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Plastic**
Shape: **Round**
Dimension: **Ø480x65mm**
Box Qty: **5 Pcs**

NEW

HUGE SIZE Ø83 CM




Domelight-Remote Control-CCT Changeable

72W VT-8472

SKU: 1495 - 3IN1

3800157648783



Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	5040lm
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic+Metal
Shape:	Round
Dimension:	Ø670x75mm
Box Qty:	5 Pcs




Domelight-Remote Control-CCT Changeable

80W VT-8480

SKU: 1496 - 3IN1

3800157648790



Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	5600lm
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic+Metal
Shape:	Round
Dimension:	Ø830x85mm
Box Qty:	2 Pcs



NEW


DIAMOND COVER



Domelight-Remote Control-CCT Changeable

40w VT-8404

SKU: 1493 - 3IN1 3800157648769



Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	2800lm
IP Rating:	IP20
CRI:	>80
PF:	>0.9


Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic+Metal
Shape:	Diamond Cover
Dimension:	Ø388.5x70mm
Box Qty:	5 Pcs



Domelight-Remote Control-CCT Changeable

60w VT-8557

SKU: 1492 - 3IN1 3800157648752



Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	4200lm
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic+Metal
Shape:	Diamond Cover
Dimension:	Ø496.6x70mm
Box Qty:	5 Pcs



NEW

STARY COVER




Domelight-Remote Control-CCT Changeable

40w VT-8405

SKU: 1494 - 3IN1

3800157648776



Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	2800lm
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic+Metal
Shape:	Round
Dimension:	Ø397x70mm
Box Qty:	5 Pcs


DIMMABLE
WITH REMOTECOLOR
CHANGING
WITH REMOTE

Domelight-Remote Control-CCT Changeable

60w VT-8556

SKU: 1491 - 3IN1

3800157648745



Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	4200lm
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic+Metal
Shape:	Round
Dimension:	Ø493.9x70mm
Box Qty:	5 Pcs

DIMMABLE
WITH REMOTECOLOR
CHANGING
WITH REMOTE




Domelight-Remote Control-CCT Changeable

48w VT-8448

SKU: 7600 - 3IN1

3800157649490



Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	2400lm
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	150°
Color of Fixture:	White
Body Type:	PMMA+Metal
Shape:	Round
Dimension:	Ø492x100mm
Box Qty:	6 Pcs



Domelight-Remote Control-CCT Changeable

65w VT-8473

SKU: 7601 - 3IN1

3800157649506

Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	3500lm
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	150°
Color of Fixture:	White
Body Type:	PMMA+Metal
Shape:	Round
Dimension:	Ø480x75mm
Box Qty:	6 Pcs




Smart Domelight-Speaker-CCT Changeable

36w VT-5500

SKU:1490- RGB+3IN1

3800157645386



Sensor Compatible:	N/A
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3400lm
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PC
Shape:	Round
Dimension:	Ø500x65mm
Box Qty:	8 Pcs



Domelight-Remote Control-CCT Changeable

60w VT-8555

SKU:1455- 3IN1

3800157637701

Sensor Compatible:	Yes
Voltage/Frequency:	AC:175-265V,50/60Hz
Luminous Flux:	4200lm
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	Ø572.5x70mm
Box Qty:	6 Pcs






Domelight-Remote Control-CCT Changeable

40w VT-8401

SKU:1474-3IN1

3800157643559



Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:175-265V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2800lm	Body Type:	PC+Metal
IP Rating:	IP20	Shape:	Round
CRI:	>80	Dimension:	D:467x70mm
PF:	>0.6	Box Qty:	10 Pcs




Domelight-Remote Control-CCT Changeable

65w VT-8501

SKU:1473-3IN1

3800157643542



Sensor Compatible:	Yes	Beam Angle:	180°
Voltage/Frequency:	AC:200-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	4900lm	Body Type:	PC+Metal
IP Rating:	IP20	Shape:	Round
CRI:	>80	Dimension:	D:500mm
PF:	>0.6	Box Qty:	8 Pcs





Domelight-Remote Control-CCT Changeable


40w VT-8402

SKU:1476-3IN1

3800157643573

Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	2200lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PC+Metal
Shape:	Round
Dimension:	D:400x60mm
Box Qty:	10 Pcs

DIMMABLE
WITH REMOTECOLOR
CHANGING
WITH REMOTE

Domelight-Remote Control-CCT Changeable


65w VT-8502

SKU:1475-3IN1

3800157643566

Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3500lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PC+Metal
Shape:	Round
Dimension:	D:500x70mm
Box Qty:	6 Pcs

DIMMABLE
WITH REMOTECOLOR
CHANGING
WITH REMOTE




Domelight-Remote Control-CCT Changeable

40w VT-8403

SKU:1460-3IN1

3800157643580



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3200lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PC+Metal
Shape:	Round
Dimension:	D:400x60mm
Box Qty:	10 Pcs




Domelight-Remote Control-CCT Changeable

65w VT-8503

SKU:1461-3IN1


3800157643597



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	4900lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PC+Metal
Shape:	Round
Dimension:	D:500x65mm
Box Qty:	10 Pcs





Domelight-Remote Control-CCT Changeable

65w VT-8504

SKU:1462- 3IN1

3800157643603

Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	4900lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PC+Metal
Shape:	Round
Dimension:	D:510x90mm
Box Qty:	6 Pcs

Ceiling Lights - Round


14w VT-8073RD

SKU: 1428 - 3000K Warm White	3800157633147
SKU: 1429 - 4000K Day White	3800157633154
SKU: 1430 - 6400K White	3800157633161



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1000lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	257x65mm
Box Qty:	20 Pcs



Ceiling Lights - Round


20w VT-8074RD

SKU: 1431 - 3000K Warm White	3800157633178
SKU: 1432 - 4000K Day White	3800157633185
SKU: 1433 - 6400K White	3800157633192



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1500lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	290x65mm
Box Qty:	10 Pcs



Ceiling Lights - Square

20w VT-8074SQ

SKU: 1434 - 3000K Warm White 3800157633208
 SKU: 1435 - 4000K Day White 3800157633215
 SKU: 1436 - 6400K White 3800157633222



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1500lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Square
Dimension:	280x280x60mm
Box Qty:	10 Pcs



Ceiling Lights - Round


24w VT-8075RD

SKU: 1437 - 3000K Warm White 3800157633239
 SKU: 1438 - 4000K Day White 3800157633246
 SKU: 1439 - 6400K White 3800157633253



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1800lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	340x65mm
Box Qty:	10 Pcs



Ceiling Lights - Square

32w VT-8076SQ

SKU: 1443 - 3000K Warm White 3800157633291
 SKU: 1444 - 4000K Day White 3800157633307
 SKU: 1445 - 6400K White 3800157633314



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2600lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Square
Dimension:	330x330x65mm
Box Qty:	10 Pcs



Ceiling Lights - Round

32w VT-8076RD

SKU: 1440 - 3000K Warm White 3800157633260
 SKU: 1441 - 4000K Day White 3800157633277
 SKU: 1442 - 6400K White 3800157633284



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2800lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	Ø390x65mm
Box Qty:	10 Pcs



Ceiling Lights - Square

15W VT-8033SQ


SKU: 1390 - 3000K Warm White 3800157626477
 SKU: 5567 - 4000K Day White 3800157610360
 SKU: 1391 - 6400K White 3800157626484

TRIMLESS
 Luxurious Finish
 SURFACE MOUNTED



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	1250lm
IP Rating:	IP44
CRI:	>80
PF:	>0.6

Beam Angle:	110°
Color of Fixture:	White
Body Type:	PC
Shape:	Square
Dimension:	200x200x47.5
Box Qty:	20 Pcs



Ceiling Lights - Round

15W VT-8033RD


SKU: 1388 - 3000K Warm White 3800157626453
 SKU: 5566 - 4000K Day White 3800157610353
 SKU: 1389 - 6400K White 3800157626460

TRIMLESS
 Luxurious Finish
 SURFACE MOUNTED



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	1250lm
IP Rating:	IP44
CRI:	>80
PF:	>0.6

Beam Angle:	110°
Color of Fixture:	White
Body Type:	PC
Shape:	Round
Dimension:	Ø200x47.5mm
Box Qty:	20 Pcs



Ceiling Lights - Square

25W VT-8066SQ


SKU: 1395 - 3000K Warm White 3800157628280
 SKU: 1396 - 4200K Day White 3800157628297
 SKU: 1397 - 6500K White 3800157628303

TRIMLESS
 Luxurious Finish
 SURFACE MOUNTED



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	2000lm
IP Rating:	IP44
CRI:	>80
PF:	>0.9

Beam Angle:	110°
Color of Fixture:	White
Body Type:	PC
Shape:	Square
Dimension:	300x300x50mm
Box Qty:	10 Pcs



Ceiling Lights - Round

25W VT-8066RD

SKU: 1392 - 3000K Warm White 3800157628259
 SKU: 1393 - 4200K Day White 3800157628266
 SKU: 1394 - 6500K White 3800157628273

TRIMLESS
 Luxurious Finish
 SURFACE MOUNTED



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	2000lm
IP Rating:	IP44
CRI:	>80
PF:	>0.9

Beam Angle:	110°
Color of Fixture:	White
Body Type:	PC
Shape:	Round
Dimension:	Ø300x50mm
Box Qty:	10 Pcs



Dome Series - Rectangle Oval


8W VT-8038-B

SKU: 1308 - 3000K Warm White 3800157620260
 SKU: 1309 - 4500K Day White 3800157620277
 SKU: 1310 - 6000K White 3800157620284



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	PC
Shape:	Rectangle
Dimension:	190x100x55mm
Box Qty:	20 Pcs



Dome Series - Rectangle Oval


8W VT-8038-W

SKU: 1311 - 3000K Warm White 3800157620291
 SKU: 1312 - 4000K Day White 3800157620307
 SKU: 1313 - 6000K White 3800157620314



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	PC
Shape:	Rectangle
Dimension:	190x100x55mm
Box Qty:	20 Pcs



Bling Star


8W VT-8061

SKU: 1370 - 3000K Warm White 3800157626262
 SKU: 1371 - 4000K Day White 3800157626279
 SKU: 1372 - 6400K White 3800157626286



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	560lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	Ø215x78mm
Box Qty:	20 Pcs



Bling Star


12W VT-8062

SKU: 1373 - 3000K Warm White 3800157626293
 SKU: 1374 - 4000K Day White 3800157626309
 SKU: 1375 - 6400K White 3800157626316



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	840lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	Ø260x92mm
Box Qty:	10 Pcs



Bling Star


18W VT-8063

SKU: 1376 - 3000K Warm White 3800157626323
 SKU: 1377 - 4000K Day White 3800157626330
 SKU: 1378 - 6400K White 3800157626347



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1260lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	Ø290x92mm
Box Qty:	10 Pcs



Bling Star


24W VT-8064

SKU: 1379 - 3000K Warm White 3800157626354
 SKU: 1380 - 4000K Day White 3800157626361
 SKU: 1381 - 6400K White 3800157626378



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1680lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	Ø330x102mm
Box Qty:	10 Pcs



Ceiling Lights - Round


12W VT-8031

SKU: 1414 - 3000K Warm White 3800157630092
 SKU: 5563 - 4500K Day White 3800157610322
 SKU: 5562 - 6500K White 3800157610315



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	800lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Metal+PMMA
Shape:	Round
Dimension:	Ø250x80mm
Box Qty:	16 Pcs



Ceiling Lights - Round


24W VT-8032

SKU: 1415 - 3000K Warm White 3800157630108
 SKU: 5565 - 4500K Day White 3800157610346
 SKU: 5564 - 6500K White 3800157610339



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1700lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Metal+PMMA
Shape:	Round
Dimension:	Ø320x95mm
Box Qty:	10 Pcs



Dome Series - Oval


8W VT-8014-OV-B

SKU: 1267 - 3000K Warm White 3800157611893
 SKU: 1266 - 4000K Day White 3800157611886
 SKU: 1268 - 6400K White 3800157611909



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	Plastic CLAD Aluminium
Shape:	Oval
Dimension:	Ø126x76mm
Box Qty:	10 Pcs



Dome Series - Oval


8W VT-8014-OV-W

SKU: 1264 - 3000K Warm White 3800157611862
 SKU: 1263 - 4500K Day White 3800157611855
 SKU: 1265 - 6400K White 3800157611879



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic CLAD Aluminium
Shape:	Oval
Dimension:	Ø126x76mm
Box Qty:	10 Pcs



Dome Series - Oval


12W VT-8016-B

SKU: 5056 - 4500K Day White 3800157603980



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	Plastic CLAD Aluminium
Shape:	Oval
Dimension:	Ø245x96mm
Box Qty:	10 Pcs



Dome Series - Oval


12W VT-8016-W

SKU: 5053 - 6400K White 3800157603324



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic CLAD Aluminium
Shape:	Oval
Dimension:	Ø245x96mm
Box Qty:	10 Pcs



Dome Series - Round


8W VT-8014-RD-W

SKU: 4999 - 3000K Warm White 3800157602556
 SKU: 1259 - 4500K Day White 3800157611817
 SKU: 4997 - 6400K White 3800157602259



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic CLAD Aluminium
Shape:	Round
Dimension:	Ø180x82mm
Box Qty:	10 Pcs



Dome Series - Round


8W VT-8014-RD-B

SKU: 1261 - 3000K Warm White 3800157611831
 SKU: 1260 - 4000K Day White 3800157611824
 SKU: 1262 - 6000K White 3800157611848



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	Plastic CLAD Aluminium
Shape:	Round
Dimension:	Ø180x82mm
Box Qty:	10 Pcs



Dome Series - Oval


12W VT-8015-B

SKU: 1349 - 3000K Warm White 3800157624046
 SKU: 5052 - 4000K Day White 3800157603317
 SKU: 5051 - 6400K White 3800157603300



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	Plastic CLAD Aluminium
Shape:	Round
Dimension:	Ø220x105mm
Box Qty:	10 Pcs



Dome Series - Round


12W VT-8015-W

SKU: 4998 - 3000K Warm White 3800157602549
 SKU: 5050 - 4500K Day White 3800157603294



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic CLAD Aluminium
Shape:	Round
Dimension:	Ø220x105mm
Box Qty:	10 Pcs



Dome Series - Oval


12w VT-8010-B

SKU: 1350 - 3000K Warm White 3800157624053
 SKU: 4973 - 4500K Day White 3800230629050
 SKU: 1269 - 6400K White 3800157611916



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	Plastic CLAD Aluminium
Shape:	Oval
Dimension:	Ø242x96mm
Box Qty:	10 Pcs



Dome Series - Oval


12w VT-8010-W

SKU: 1351 - 3000K Warm White 3800157624060
 SKU: 1353 - 6000K White 3800157624084



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>80
PF:	>0.9



Beam Angle:	110°
Color of Fixture:	White
Body Type:	Plastic CLAD Aluminium
Shape:	Oval
Dimension:	Ø242x96mm
Box Qty:	10 Pcs



Dome Sensor Series

VT-8002C

SKU: 4966 3800230625816




Sensor Type:	Microwave
Color:	White
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max. 60W(E27)

Detection Distance:	1-8m(radius) adjustable
Body Type:	PC
IP Rating:	IP44
Dimension:	Ø296x96mm
Time Delay:	Min. 10sec±3sec, Max. 12min±1min
Box Qty:	5 Pcs

Dome Sensor Series

16w VT-8001C

SKU: 1281 - 3000K Warm White 3800157612678
 SKU: 1282 - 6000K White 3800230625809
 3800157612685




Built In LED



Sensor Type:	Microwave
Color:	White
Detection Range:	360°
Voltage:	AC:200-240V,50/60Hz
Rated Load:	16w
Watts:	16w


Detection Distance:	1-8m(radius) adjustable
Body Type:	PC
IP Rating:	IP54
Dimension:	Ø296 x 96mm
Time Delay:	Min. 10 sec to 12 min
Box Qty:	5 Pcs



Dome Sensor Series

12w VT-8017

SKU: 5057 - 3000K Warm White 3800157605250
 SKU: 5058 - 4000K Day White 3800157605267
 SKU: 5059 - 6400K White 3800157605274



Sensor Type:	PIR	Detection Distance:	Max. 6m(<24°C)
Color:	White	Body Type:	Plastic CLAD Aluminium
Detection Range:	360°	IP Rating:	IP20
Voltage:	AC:110-240V,50/60Hz	Dimension:	Ø290x60mm
Rated Load:	12W(24PCS LED)	Time Delay:	Min. 10sec±3sec,Max. 12min±1min
Watts:	12w	Box Qty:	10 Pcs

