









LED Innovative Lights

An innovative and sustainable way of lighting up your outdoors. V-TAC's LED Solar Outdoor lights can function for up to 24 hours, with just 6-7 hours charging during the day. Inbuilt sensors allow these outdoor lamps to light up upon detection of movement.

Product Features


-  ZERO Electricity Cost
-  Solar Powered
-  PIR Detective
-  Outdoor
-  Light on/off automatically
-  Cordless

Applications

Suitable for Outdoor and Indoor Lighting

Solar Wall Light-IP65
1.5W VT-767-2-W

SKU: 8276 - 4000K Day White 3800157627931




Battery:	3.7V Lithium Battery 1200mAh
Lumens:	220lm
No. of LED:	14pcs (Front 12pcs, Back 2 pcs)
Detecting Angle:	120°
Sensing Range:	2 - 6 mtrs

Charging Time:	6-7 hrs Sunlight Charging
IP Rating:	IP65
Material:	ABS+PC
Dimension:	144.5x96x79mm
Working Time:	Min 8 hrs and Max 24 hrs
Box Qty:	20Pcs

Solar Wall Light-IP65
1.5W VT-767-2-B

SKU: 8277 - 4000K Day White 3800157627948




Battery:	3.7V Lithium Battery 1200mAh
Lumens:	220lm
No. of LED:	14pcs (Front 12pcs, Back 2 pcs)
Detecting Angle:	120°
Sensing Range:	2 - 6 mtrs

Charging Time:	6-7 hrs Sunlight Charging
IP Rating:	IP65
Material:	ABS+PC
Dimension:	144.5x96x79mm
Working Time:	Min 8 hrs and Max 24 hrs
Box Qty:	20Pcs

Solar Wall Light-IP65
3W VT-768

SKU: 7523 - Day+Warm White 3800157619363




Battery:	3.7V Lithium Battery 2000mAh
Lumens:	400lm
No. of LED:	30pcs (Front 28pcs, Back 2 pcs)
Detecting Angle:	120°
Sensing Range:	2 - 6 mtrs

Charging Time:	6-7 hrs Sunlight Charging
IP Rating:	IP65
Material:	ABS+PC
Dimension:	140x212x109.2mm
Working Time:	Min 5-8 hrs and Max 24 hrs
Box Qty:	12Pcs

Solar Wall Light-IP65
7W VT-767-7-W

SKU: 8278 - 4000K Day White 3800157627955




Battery:	3.7V Lithium Battery 4000mAh
Lumens:	800lm
No. of LED:	60pcs (Front 56pcs, Back 4 pcs)
Detecting Angle:	120°
Sensing Range:	2 - 6 mtrs

Charging Time:	6-7 hrs Sunlight Charging
IP Rating:	IP65
Material:	ABS+PC
Dimension:	270x221x109.2mm
Working Time:	Mode A: 5 hours, Mode B: 2-3 nights Mode C: 3-4 nights
Box Qty:	20Pcs

Solar Wall Light-IP65

7W VT-767-7-B

SKU: 8279 - 4000K Day White 3800157627962

Solar
LightsPIR
MOTION
SENSORUV
PROTECTIONIP65
RATING

Battery: 3.7V Lithium Battery 4000mAh

Lumens: 800lm

No. of LED: 60pcs (Front 56pcs, Back 4 pcs)

Detecting Angle: 120°

Sensing Range: 2 - 6 mtrs

Charging Time: 6-7 hrs Sunlight Charging

IP Rating: IP65

Material: ABS+PC

Dimension: 270x221x109.2mm

Working Time: Mode A: 5 hours, Mode B: 2-3 nights Mode C: 3-4 nights

Box Qty: 20Pcs

Wireless Smart Lights Switches



Introducing the next generation self powered wireless switches, functions using RF receiver making it a hassle free experience. Offering a push-touch button and remote features.



NEW



Switch-One Gang
VT-5131 White
 SKU: 8460 3800157644914

Input Power:	2-3V(CR2032 Button Battery)
Switch Lifetime:	30,000 times
Body Type:	PC
Dimensions:	86x86x11mm
Box Qty:	144
Remote Distance	Outdoor >600m Indoor >40m

NEW



Switch-Two Gang
VT-5132 White
 SKU: 8461 3800157644921

Input Power:	2-3V(CR2032 Button Battery)
Switch Lifetime:	30,000 times
Body Type:	PC
Dimensions:	86x86x11mm
Box Qty:	144
Remote Distance	Outdoor >600m Indoor >40m

NEW



Switch-Three Gang
VT-5133 White
 SKU: 8462 3800157644938

Input Power:	2-3V(CR2032 Button Battery)
Switch Lifetime:	30,000 times
Body Type:	PC
Dimensions:	86x86x11mm
Box Qty:	144
Remote Distance	Outdoor >600m Indoor >40m

NEW



Remote Three Gang
VT-5143
 SKU: 8463 3800157644945

Input Power:	2-3V(CR2032 Button Battery)
Switch Lifetime:	30,000 times
Body Type:	PC
Dimensions:	62x30x12mm
Box Qty:	364
Remote Distance	Outdoor >160m Indoor >20m

NEW



Receiver
VT-5129
 SKU: 8458 3800157644891

Input Power:	AC:180-240V
Load Power:	1000W(Max)
Body Type:	PC
Dimensions:	39x23x22 mm
Box Qty:	364
Remote Distance	Outdoor >600m Indoor >40m

NEW



works with

works with the


Wifi Receiver
VT-5130
 SKU: 8459 3800157644907

Input Power:	AC:85-265V
Load Power:	1000W(Max)
Body Type:	PC
Dimensions:	75x28x28.5 mm
Box Qty:	196
Remote Distance	Outdoor >500m Indoor >40m



VT-5111-B Black

SKU: 8385 3800157635714



VT-5111-W White

SKU: 8354 3800157634953


Touch Switch 1Gang-1Way

Input Power:	AC:180-250V,50/60Hz
Operating Temp:	-10-60°C
Switch Lifetime:	>100,000 times
Relative Humidity:	10%-93%
Load Power:	5-500W
Body Type:	PC+Glass Finish
Dimensions:	86x86mm
Box Qty:	100



VT-5112-B Black

SKU: 8387 3800157635738




VT-5112-W White

SKU: 8357 3800157634984


Touch Switch 2Gang-1Way

Input Power:	AC:180-250V,50/60Hz
Operating Temp:	-10-60°C
Switch Lifetime:	>100,000 times
Relative Humidity:	10%-93%
Load Power:	5-1000W
Body Type:	PC+Glass Finish
Dimensions:	86x86mm
Box Qty:	100



VT-5121-B Black

SKU: 8389 3800157635752



VT-5121-W White

SKU: 8360 3800157635011

Touch Switch 1Gang-2Way

Input Power:	AC:180-250V,50/60Hz
Operating Temp:	-10-60°C
Switch Lifetime:	>100,000 times
Relative Humidity:	10%-93%
Load Power:	5-500W
Body Type:	PC+Glass Finish
Dimensions:	86x86mm
Box Qty:	100



VT-5311-B Black
SKU: 8395 3800157635813




VT-5311-W White
SKU: 8369 3800157635103

Remote Dimmer 1Gang-1Way

Input Power:	AC:180-250V,50/60Hz
Operating Temp:	-10~60°C
Switch Lifetime:	>100,000 times
Relative Humidity:	10%~93%
Load Power:	5-500W
Body Type:	PC+Glass Finish
Dimensions:	86x86mm
Box Qty:	100



VT-5411-B Black
SKU: 8397 3800157635837



VT-5411-W White
SKU: 8372 3800157635134

Doorbell-Switch 1Gang-1Way

Input Power:	AC:180-250V,50/60Hz
Operating Temp:	-10~60°C
Switch Lifetime:	>100,000 times
Relative Humidity:	10%~93%
Load Power:	5-500W
Body Type:	PC+Glass Finish
Dimensions:	86x86mm
Box Qty:	100



VT-5811-B Black
SKU: 8401 3800157635875



VT-5811-W White
SKU: 8402 3800157635882

Socket EU-2 Way

Input Power:	AC:200-250V,50Hz
Body Type:	PC+Glass Finish
Box Qty:	60



VT-5711 Black
SKU: 8399 3800157635851



VT-5711-W White
SKU: 8379 3800157635202

Socket EU-Glass Panel

Input Power:	AC:200-250V,50Hz
Body Type:	PC+Glass Finish
Box Qty:	80